

100% recycled paper for supermarket bags and e-commerce.

Technical characteristics

TEST	STANDARD	DIMENSION	AiaBag GreenKraft									
Nominal basic weight	EN ISO 536	gr/m ²	50	75	80	85	90	100	110	120	125	+/-3%
Nominal Moisture	EN ISO 287	%	8	8	8	8	8	8	8	8	8	+/-1
COBB 60	EN ISO 535	gr/m ²	30	30	30	30	30	30	30	30	30	+/-5%
Bursting Strength	EN ISO 2758	Kpa m ² /g	2.6	2.55	2.55	2.55	2.55	2.55	2.55	2.55	2.55	Indicativo
Stretch MD	EN ISO 1924 / 2	%	1.4	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	-10%
Stretch CD	EN ISO 1924 / 2	%	2.1	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	-10%
Length strength MD	EN ISO 1924 / 2	m	8000	6500	6500	6800	6800	7000	7000	7000	7000	-10%
Length strength CD	EN ISO 1924 / 2	m	2800	2300	2300	2600	2600	2800	2800	2800	2800	-10%
Air resistance (Gurley)	EN ISO 5636-5	S	35	60	60	60	60	60	60	60	60	Indicativo
SCT	EN ISO 9895	kn/m	-	1.43	1.52	1.62	1.71	1.90	2.10	2.40	2.50	-10%



La marca de la gestión forestal responsable